

CENTRA CARE Laboratory Services

MEMO

TO: CCLS Clients
FROM: CentraCare Laboratory
DATE: 9/15/2017
SUBJECT: Cardiolipin and Gliadin Assays

Beginning 9/19/2017 CentraCare Laboratory Services River Campus will begin performing the following testing on site:

1. Ordering information:

Cardiolipin IgG:	(LAB0234601: Sunquest CARDG)
Cardiolipin IgM:	(LAB0234614: Sunquest CARDM)
Beta2 glycoprotein IgG:	(LAB0234627: Sunquest B2G1G)
Beta2 glycoprotein IgM:	(LAB0234630: Sunquest B2G1M)
Cardiolipin IgG and IgM Ab Panel:	(LAB0234658: Sunquest CARAB)

2. Test Specific Information:

- a. Cardiolipin testing will be performed on Monday, Wednesday and Friday.
- b. Specimen type is serum.
- c. Reference Ranges:

i. Cardiolipin IgG and IgM Ab assay reference range:

<u>Old:</u> (Both assays)	<u>New:</u> (Both assays)
<15.0 MPL (negative)	<10 MPL (negative)
15.0-39.9 MPL (weak positive)	10-40 MPL (weak positive)
40.0-79.9 MPL (positive)	> 40 MPL (positive)
≥80.0 MPL (Strong positive)	

ii. Beta2 glycoprotein IgG and Beta2 glycoprotein IgM reference range:

<u>Old:</u> (Both assays)	<u>New:</u> (Both assays)
<15.0 U/ml (negative)	< 7 U/ml (negative)
5.0-39.9 U/ml (weak positive)	7-10 U/ml (Equivalal)
40.0-79.9 U/ml (positive)	> 10 U/ml (positive)
≥ 80.0 U/ml (strong positive)	

Due to the amount of preference list changes needed, the Epic ambulatory team will begin working on preference list changes on September 19. This process will continue through September until complete.

Please contact Jerome Schlabsz, Chemistry Technical Specialist at ext. 57325 with any questions.